SEC. 27, TWP. 20N, R.6E



COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD		LATITUDE	LONGITUDE
27	20N	6E	13	10A		X=	Y=		



NORTH

Tied by: LP:BAN Date: 9/12/95

Drawn by: BAN Date: 11/1/95

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

1/2" Iron Pipe in 1 1/4" Iron Pipe in concrete, .05' below surface of asphalt Road



MARKER LOCATION

Approved: _____ Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD		LATITUDE	LONGITUDE
27	20N	6E	13	98		X=	Y=		



NORTH

Tied by: LP:BAN Date: 9/12/95

Drawn by: BAN Date: 11/1/95

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

5/8" Rebar in 1¼" Iron Pipe Flush with surface of asphalt Road



MARKER LOCATION

Approved: _____ Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD		LATITUDE	LONGITUDE
27	20	6				X=	Y=		



NORTH

Tied by: M.C. - R.W. Date: 4-8-02

Drawn by: M.C. Date: 4-8-02

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

1/2 inch Rebar Set in Middle of Road, 2" below Asphalt.



MARKER LOCATION

Approved: _____ Date: _____

COUNTY SURVEYOR